


# Best Available Copy








cells





(c) Submerged culture of gel containing (d) Culture raised to air-liquid interface both stromal and tumour cells




Fig 2




Fig 3




Fig 3 (Contd.)





Fig 4

6/11
Untreated SP-1 cell models







Fig 5

7/11





### Effect of retinoic acid on SP-1 models at 10 days





Fig 6

8/11
Untreated T52 Hufos cell models



T52 Hufos cell models treated with retinoic acid




Fig 7




Fig 8




Fig 9




Fig 10

# This Page is inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

B BLACK BORDERS
IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
BLURED OR ILLEGIBLE TEXT OR DRAWING
SKEWED/SLANTED IMAGES
☐ COLORED OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
☐ OTHER:

IMAGES ARE BEST AVAILABLE COPY.
As rescanning documents will not correct images problems checked, please do not report the problems to the IFW Image Problem Mailbox